Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S59	0	"320"/\$.ccls. and (auto automatic\$4) with (initial\$5 set\$4 determin\$3 calibrat\$3) near3 (expect\$3 normal average) near3 (range limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 14:20
S58	31	"320"/\$.ccls. and (initial\$5 set\$4 determin\$3 calibrat\$3) near3 (expect\$3 normal average) near3 (range limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 14:19
S57	254	"320"/\$.ccls. and (initial\$5 set\$4 determin\$3 calibrat\$3) near3 (expect\$3 normal average) near3 (voltage current)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 14:19
S56	0	"320"/\$.ccls. and (initial\$5 set\$4 determin\$3 calibrat\$3) near3 (expect\$3 normal average) near3 (ripple)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 14:18
S55	951	"320"/\$.ccls. and (initial\$5 set\$4 determin\$3 calibrat\$3) near3 (range limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 14:17
S54	6	"320"/\$.ccls. and automatic\$4 near4 (initial\$5 set\$4 determin\$3 calibrat\$3) near3 (range limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 14:10
S45	11	"320"/\$.ccls. and (initial\$5 set\$4 determin\$3 calibrat\$3) near3 (operat\$3 adj (range limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:54
S53	2	"320"/\$.ccls. and record\$3 near3 (operat\$3 adj (range limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:20
S46	4	"320"/\$.ccls. and stor\$3 near3 (operat\$3 adj (range limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:20
S52	2	automatic\$4 with determin\$3 with (operat\$3 adj (range limit\$1)) with signal with time	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:17
S48	1	automatic\$4 with determin\$3 with normal with (operat\$3 adj (range limit\$1)) with signal with time	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:10

			·			
S51	2	S42 and smart near3 batter\$3 and operat\$3 adj (range limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:04
S50	0	S42 and smart near3 batter\$3 and opeart\$3 adj (range limit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:04
S49	92	S42 and smart near3 batter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:03
S47	1	"320"/\$.ccls. and memor\$3 near3 (operat\$3 adj (range limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 13:02
S44	301	"320"/\$.ccls. and (operat\$3 adj (range limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:38
S43	23	S42 and (operat\$3 adj (range limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:38
S42	1624	((320/106) or (320/110) or (320/132)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:34
S34	29	(automatic\$4 trial\$1 experiment\$3) near7 set near3 (operat\$3 adj (range limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:34
S41	3462	S37 S38 S39 S40	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:33
S40	1615	(307/66).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:33
S39	509	((320/116) or (320/118)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:33
S38	1217	((324/426) or (324/433) or (324/434)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:33

			·		,	
S37	216	((340/636.13) or (340/636.19) or (340/636.2) or (340/636.21)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/02 12:33
S36	22	S35 not S34	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:52
S35	51	(automatic\$4 trial\$1 experiment\$3) near7 (determin\$3 calibrat\$3 set) near3 (operat\$3 adj (range limit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:50
S33	11	automatic\$4 near3 (determin\$3 calibrat\$3) near3 (operat\$3 adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:48
S32	0	automatic\$4 near3 (determin\$3 calibrat\$3) near3 normal near3 (operat\$3 adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:44
S31	0	automatic near3 (determin\$3 calibrat\$3) near3 normal near3 (operat\$3 adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:44
S26	40	(determin\$3 calibrat\$3) near3 normal near3 (operat\$3 adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:44
S30	0	automatic\$4 near3 (determin\$3 set) near3 normal near3 (operat\$3 adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:43
S29	2	"340"/\$.ccls. and (set) near3 normal near3 (operat\$3 adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:43
S28	0	"340"/\$.ccls. and (calculat\$3) near3 normal near3 (operat\$3 adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:42
S27	5	"340"/\$.ccls. and (determin\$3 calibrat\$3) near3 normal near3 (operat\$3 adj range)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:41
S25	1	(determin\$3 calibrat\$3) near3 (operat\$3 adj range) with time adj (range period)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:40

						_
S24	0	(determin\$3 calibrat\$3) near3 (operat\$3 adj range) near3 time adj (range period)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:39
S23	0	S22 and (determin\$3 calibrat\$3) near3 (operat\$3 adj range) near3 time adj (range period)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:39
S22	3461	S18 S19 S20 S21	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:35
S21	1615	(307/66).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:30
S20	509	((320/116) or (320/118)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:30
S19	1216	((324/426) or (324/433) or (324/434)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:30
S18	216	((340/636.13) or (340/636.19) or (340/636.2) or (340/636.21)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/03/01 17:30